


SureColour™ SC-S Series

# SURECOLOUR SC-S80600

EXPERTISE IN. QUALITY OUT.



**EPSON®**  
EXCEED YOUR VISION



Get more from your large format prints with the dual-printhead design of the SC-S80600. Orange and red, and optional metallic and white inks mean that the SC-80600's 9/10-colour set produces vivid results for a range of applications – from professional signage to POS and beyond.

## PRECISION

### Class leading substrate handling

Advanced Auto-Tension Control management system



### See the difference

LED inspection lights



### High ink drop accuracy

Epson PrecisionDot improves productivity and print quality



### Printhead guard

Protects against damage caused by paper jams and foreign objects



## QUALITY

### Exceptional accuracy

Dual Epson TFP PrecisionCore printhead



### Vivid results

Epson UltraChrome GS3 Ink with Red – wider colour gamut than the previous ink set



### Long-lasting quality


Prints can be outdoors for up to three years without fading<sup>1</sup>



## PRODUCTIVITY

### Reduced maintenance

Automatic fabric wiper cuts weekly maintenance time by up to 80%



### Improved printer management

Control dashboard supports remote management of print settings, media and ink



### Quick and easy setup

Printer can automatically set correct media parameters



## SPECIFICATIONS

Printhead configuration	Dual PrecisionCore TFP printhead 360 x 2 nozzles (x10)
Maximum print speed	95.1 m <sup>2</sup> /h (Draft)
Minimum Ink droplet Volume	4.2pl
Maximum print resolution	1440 x 1440 dpi <sup>2</sup>
Media Width	300 to 1,626mm (64 inch)
Roll Weight	Up to 45kg
Ink	Epson UltraChrome GS3 ink with Red
Number of inks	9/10 colours (C,M,Y,K, Lc, Lm, Lk, Or, Re + Mt or Wh)
Ink cartridge capacity	700ml
Dimensions	W: 2,620mm, H: 1,338mm, D: 880mm
Weight	284kg (without ink cartridges)

CoverPlus

Better Products for a Better Future

PRECISIONCORE

Epson Control Dashboard

EPSON ULTRACHROME GS3 INK RED

## PRINT MODES

Media Type	Print speed m <sup>2</sup> /h	Print pass	Print mode name
Adhesive Vinyl Canvas Textile Paper / others	52.3	2	720x720dpi – 2 Pass
	29.4	4	720x720dpi – 4 Pass
	25.0	4	720x720dpi – 4 Pass High Quality
	17.6	6	720x1440dpi – 6 Pass
	16.5	6	720x1440dpi – 6 Pass High Quality
	13.3	8	720x1440dpi – 8
	12.4	8	720x1440dpi – 8 Pass High Quality
	8.7	12	1440x1440dpi – 12 Pass
	6.8	16	1440x1440dpi – 16 Pass
	Banner	52.3	2
31.6		4	720x720dpi – 4 Pass
29.4		4	720x720dpi – 4 Pass High Quality
20.7		6	720x1440dpi – 6 Pass
Film <Backlit>	19.5	6	720x1440dpi – 6 Pass High Quality
	14.6	8	720x1440dpi – 8 Pass
	8.7	12	1440x1440dpi – 12 Pass
	6.8	16	1440x1440dpi – 16 Pass
	4.9	24	1440x1440dpi – 24 Pass

Media Type	Layer	Colour	Speed (m2/h)	Pass	Print mode name	
Adhesive Vinyl Canvas Textile Paper / others	1 Layer	Colour	26.8	4	720x720dpi – 4 Pass	
			18.2	6	720x720dpi – 6 Pass	
			13.2	8	720x720dpi – 8 Pass	
			12.5	8	720x720dpi – 8 Pass High Quality	
			8.8	12	720x1440dpi – 12 Pass	
			6.8	16	720x1440dpi – 16 Pass	
	Colour+White	13.2	8	720x720dpi – 8 Pass		
		12.5	8	720x720dpi – 8 Pass High Quality		
		8.8	12	720x1440dpi – 12 Pass		
		6.8	16	720x1440dpi – 16 Pass		
	Colour+Metallic Silver	4.2	20	720x1440dpi – 20 Pass		
		2.3	36	1440x1440dpi – 36 Pass		
		2 Layer	Colour+White	6.4	18	720x720dpi – 18 Pass
			3.5	32	720x1440dpi – 32 Pass	
Colour+Metallic Silver	1.9	40	720x1440dpi – 40 Pass			
	1.1	72	1440x1440dpi – 72 Pass			
Banner	1 Layer	Colour	95.1	1	360x360dpi – 1 Pass	
			52.3	2	360x720dpi – 2 Pass	
			26.8	4	720x720dpi – 4 Pass	
			18.2	6	720x720dpi – 6 Pass	
			13.2	8	720x720dpi – 8 Pass	
			12.5	8	720x720dpi – 8 Pass High Quality	
Film <Backlit> Film <Frontlit>	1 Layer	Colour Colour+White	12.5	8	720x720dpi – 8 Pass	
			8.8	12	720x1440dpi – 12 Pass	
			6.8	16	720x1440dpi – 16 Pass	
			3.7	30	720x1440dpi – 30 Pass	
			2.4	48	1440x1440dpi – 48 Pass	
			Colour+Metallic Silver	4.2	20	720x1440dpi – 20 Pass
	2.3	36		1440x1440dpi – 36 Pass		
	2 Layer	Colour+White	6.4	18	720x720dpi – 18 Pass	
		3.5	32	720x1440dpi – 32 Pass		
		2.4	48	1440x1440dpi – 48 Pass		
		Colour+Metallic Silver	1.9	40	720x1440dpi – 40 Pass	
	3 Layer	Colour+White	1.1	72	1440x1440dpi – 72 Pass	
			3.2	27	720x720dpi – 27 Pass	
			1.7	48	720x1440dpi – 48 Pass	
			1.1	72	1440x1440dpi – 72 Pass	

At Epson, we believe you get out of your printer what we put in.

**Expertise in. Quality out.**

Find out more at [epson.eu/signbyepson](http://epson.eu/signbyepson)

1 Estimate based on Epson test standards: ISO18930 using 100% ink duty. Does not constitute a guarantee or warranty to the longevity of printed images. Longevity of printed images may vary significantly depending on substrates, application, ink duty and environmental conditions. The estimate does not include prints made using White or Metallic inks. White or Metallic Silver inks will be considerably less durable in outdoor conditions. Epson accepts no liability of any kind for fading or any other change in a print no matter how it is displayed.

2 Depends on RIP Software

For further information please contact your local Epson office or visit [www.epson-europe.com](http://www.epson-europe.com)

Austria 01 253 49 78 333 Belgium +32 (0)2 792 04 47 Czech 800/142 052 Denmark 44 50 85 85 Finland 0201 552 091 France 09 74 75 04 04 (Cost of local call, operator charges may apply) Germany +49 (0) 2159/92 79 500 Greece 210-8099499 Hungary 06800 147 83 Ireland 01 436 7742 Italy 02-660321 10 (0,12 €/min) Luxembourg +352 27860692 Middle East +9714 8872172 Netherlands +31 (0)20 708 5099 Norway +47 67 11 37 00 Poland 0-0-800 4911299 (0,16 zł/min) Portugal 707 222 111 Russia (095) 777-03-55 Slovakia 0850 111 429 South Africa (+2711) 465-9621 Spain 93 582 15 00 Sweden 0771-400135 (Mobilsamtal – 0,99 kr/min, Lokala samtal – 0,30 kr/min, Utlandssamtal – 0,89 kr/min) Switzerland 022 592 7923 Turkey (0212) 3360303 United Kingdom 0871 222 6702

Trademarks and registered trademarks are the property of Seiko Epson Corporation or their respective owners. Product information is subject to change without prior notice.

**EPSON**<sup>®</sup>